

**TRANSPORT EMERGENCY CARD - Road Transport**

In accordance with SANS 10232-4

**PROPER SHIPPING NAME**

ETHYL ALCOHOL SOLUTION

UN Number	1170
Class	3
Subsidiary Risk	
Packing Group	III
ERG Number	127

**APPEARANCE**

Liquid; Colourless to slightly yellow; Perceptible odour.

**DANGER**

HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames.

Vapors may form explosive mixtures with air.

Vapors may travel to source of ignition and flash back.

Fire may produce irritating, corrosive and/or toxic gases.

Inhalation or contact with material may irritate or burn skin and eyes.

**PERSONAL PROTECTIVE EQUIPMENT**

Protective goggles or face shield. Protective gloves. Protective shoes. Eyewash bottle with clean water. Respiratory safety device that will allow the driver to escape.

**EMERGENCY RESPONSE EQUIPMENT**

Dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam. Sand or other absorbent. Shovel.

---

**DRIVER FIRST ACTIONS** - Contact emergency services. Keep upwind. No smoking. Keep unauthorized personnel away.

**DRIVER SPECIAL/ADDITIONAL ACTIONS** - Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas.

**DRIVER ACTIONS IN CASE OF FIRE** - CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient. CAUTION: For fire involving UN1170, UN1987 or UN3475, alcohol-resistant foam should be used. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Move containers from fire area if you can do it without risk. Do not use straight streams.

**FIRST AID**

Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. In case of contact with material; immediately flush skin or eyes (or both) with running water for at least 20 minutes. Move victim to fresh air. Remove and isolate contaminated clothing and shoes.

**SPECIAL INFORMATION FOR EMERGENCY SERVICES**

Containers may explode when heated. Vapor explosion hazard indoors, outdoors or in sewers. Vapors may cause dizziness or suffocation. Runoff from fire control or dilution water may cause pollution.

**ADDITIONAL INFORMATION**

Company Name: Enviro Bio-Chem (Pty) Ltd

Trade Name: Hexazinone 240 SL (Reg. Number: L7947 Act 36 of 1947)

**EMERGENCY TELEPHONE NUMBERS**

+27 87 231 7261

**PREPARED BY:** Enviro Bio-Chem (Pty) Ltd from the best knowledge currently available; no guarantee is provided that the information is sufficient or correct under all circumstances.

**Preparation Date:** October 2018

**Expiry Date:** October 2021

**Reference:** H-TEC-9