

TRANSPORT EMERGENCY CARD - Road Transport

In accordance with SANS 10232-4

PROPER SHIPPING NAME

FLAMMABLE LIQUID; N.O.S.

APPEARANCE

Liquid; Orange to brown; Perceptible odour.

DANGER

HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames.

Vapors may form explosive mixtures with air.

Vapors may travel to source of ignition and flash back.

Containers may explode when heated.

Inhalation or contact with material may irritate or burn skin and eyes.

PERSONAL PROTECTIVE EQUIPMENT

Protective goggles or face shield. Protective gloves. Protective shoes. Eyewash bottle with clean water. Respiratory safety device that will allow driver to escape.

EMERGENCY RESPONSE EQUIPMENT

Chemical protective clothing that is specially recommended by the manufacturer. Dry chemical, CO₂, or water spray or regular foam. Sand or other absorbent. Shovel.

UN Number	1993
Class	3
Subsidiary Risk	
Packing Group	III
ERG Number	128

DRIVER FIRST ACTIONS - Contact emergency services. Keep upwind. No smoking. Keep unauthorized personnel away.

DRIVER SPECIAL/ADDITIONAL ACTIONS - Stop leak if you can do it without risk. Dike far ahead of liquid spill for later disposal. Prevent entry into waterways, sewers, basements or confined areas.

DRIVER ACTIONS IN CASE OF FIRE - CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient. Move containers from fire area if you can do it without risk. Dry chemical, CO₂, or water spray or regular foam. Do not scatter spilled material with high-pressure water streams.

FIRST AID

Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. In case of contact with material; immediately flush skin or eyes (or both) with running water for at least 20 minutes. Move victim to fresh air. Give artificial respiration if victim is not breathing. Remove and isolate contaminated clothing and shoes.

SPECIAL INFORMATION FOR EMERGENCY SERVICES

Fire may produce irritating, corrosive and/or toxic gases. Vapors may cause dizziness or suffocation. Runoff from fire control or dilution water may cause pollution. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.

ADDITIONAL INFORMATION

Company Name: Enviro Bio-Chem (Pty) Ltd

Trade Name: Oxyfen (Reg. Number: L7663 Act 36 of 1947)

EMERGENCY TELEPHONE NUMBERS

+27 87 231 7261

PREPARED BY: Enviro Bio-Chem (Pty) Ltd from the best knowledge currently available; no guarantee is provided that the information is sufficient or correct under all circumstances.

Preparation Date: October 2018

Expiry Date: October 2021

Reference: H-TEC-15