

TRANSPORT EMERGENCY CARD - Road Transport

In accordance with SANS 10232-4

PROPER SHIPPING NAME

FLAMMABLE LIQUID; TOXIC; N.O.S.

UN Number	1993
Class	3
Subsidiary Risk	6.1
Packing Group	III
ERG Number	131

APPEARANCE

Liquid; Light brown; Perceptible odour.

DANGER

Flammable liquid and vapour. May be fatal if swallowed and enters the airways.

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause respiratory irritation. May cause drowsiness or dizziness. Suspected of causing cancer. Suspected of damaging unborn child. Very toxic to aquatic life with long lasting effects.

PERSONAL PROTECTIVE EQUIPMENT

Protective goggles or face shield. Protective gloves. Protective shoes. Eyewash bottle with clean water. Respiratory safety device that will allow driver to escape.

EMERGENCY RESPONSE EQUIPMENT

Dry chemical or CO₂. Positive-pressure self-contained breathing apparatus (SCBA). Sand or other absorbent. Shovel.

DRIVER FIRST ACTIONS - Contact emergency services. Keep upwind. No smoking. Keep unauthorized personnel away.

DRIVER SPECIAL/ADDITIONAL ACTIONS - Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do it without risk. Prevent entry into waterways, sewers, basements or confined areas.

DRIVER ACTIONS IN CASE OF FIRE – CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Move containers from fire area if you can do it without risk.

FIRST AID

Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. In case of contact with material; immediately flush skin or eyes (or both) with running water for at least 20 minutes. Administer oxygen if breathing is difficult. Move victim to fresh air. Remove and isolate contaminated clothing and shoes.

SPECIAL INFORMATION FOR EMERGENCY SERVICES

Vapors may form explosive mixtures with air. Containers may explode when heated. Fire will produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may cause pollution.

ADDITIONAL INFORMATION

Company Name: Enviro Bio-Chem (Pty) Ltd

Trade Name: Sprite 255 (Reg. Number: L8247 Act 36 of 1947)

EMERGENCY TELEPHONE NUMBERS

+27 87 231 7261

PREPARED BY: Enviro Bio-Chem (Pty) Ltd from the best knowledge currently available; no guarantee is provided that the information is sufficient or correct under all circumstances.

Preparation Date: October 2023

Expiry Date: October 2026

Reference: H-TEC-19