

Read the label before opening the container.

For full particulars, see enclosed leaflet.

KEEP OUT OF REACH OF CHILDREN AND ANIMALS

CALYPRO 2.4D SL

South Africa Reg. No: L8301 Act No. 36 of 1947

PLANT GROWTH REGULATOR

A plant growth regulator for prevention of abscission of the calyx on citrus fruit.

ACTIVE INGREDIENT:

2,4-D Sodium salt.....25g/ℓ

**Product Information: 072 678 8226
In case of poisoning: 082 446 8946**

HAZARD STATEMENTS

- May cause an allergic skin reaction
- Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

- Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles.
- Avoid release into the environment.



WARNING

enviro
bio-chem

Registration holder: Enviro Crop Protection (Pty) Ltd

Co. Reg. No: CK2007/027855/07

44 Kerk Street, Lichtenburg NW, South-Africa

Tel: +27 87 231 7261 | Fax: +27 86 541 7948

Web: www.envirobiochem.co.za

Expiry Date:

Batch No:

Date of Manufacture:

UN No. 3082

WARNINGS:

- May cause an allergic skin reaction
- Toxic to aquatic life with long lasting effects.
- Keep out of reach of children, uninformed persons and animals.
- Store under lock and key away from food and feedstuffs in a cool, dry place.
- Do not handle the treated fruit until the spray deposit has dried unless wearing protective clothing.

Although this remedy has been extensively tested under a large variety of conditions the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be effected by factors such as abnormal conditions; quality of dilution water, compatibility with other substances not indicated on the label and time and accuracy of the application. The registration holder furthermore does not accept responsibility for damage to crops, vegetation, the environment or harm to man or animal or for lack of performance of the remedy concerned due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in event of any uncertainty.

PRECAUTIONS:

- Wear impervious rubber gloves and boots, protective clothing and chemical safety goggles
- IF ON SKIN: Wash with plenty of water and non-abrasive soap.
- Prevent contamination of food, feedstuff, eating utensils and drinking water.
- Prevent contamination onto crops, grazing, rivers, dams or areas not under treatment.
- Avoid release to the environment.
- Clean applicator after use and dispose of wash water where it will not contaminate crops, grazing, dams or rivers.
- Triple rinse empty container in the following manner: Invert the empty container over the spray or mixing tank and allow to drain for at least 30 seconds after the flow has slowed down to a drip. Thereafter, rinse the empty container three times with a volume of water equal to a minimum of 10% of that of the container. Add the rinsings to the content of the spray tank. Empty containers should be taken for local recycling or waste disposal. Do not re-use empty containers.

RELEVANT SUBSTANCES:

2,4-D Sodium Salt 2.9%

SYMPTOMS OF HUMAN POISONING:

Coughing, dizziness, temporary loss of muscle co-ordination, fatigue and possible nausea.

FIRST AID TREATMENT:

INGESTION: Immediately call a POISON CENTER or doctor/physician.

SKIN CONTACT: (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

INHALATION: Remove person to fresh air and keep comfortable for breathing.

EYE CONTACT: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

NOTE TO PHYSICIAN

There is no antidote. Treat symptomatically.

USE RESTRICTIONS:

Use only as indicated. Refer to RECOMMENDED USAGE RESTRICTIONS FOR PLANT PROTECTION PRODUCTS ON SOUTHERN AFRICAN EXPORT CITRUS of the CRI with regards to MRL's for different markets.

DIRECTIONS FOR USE: Use only as directed.

Mixing Instructions:

Drench and fungicide bath: Pre-mix the required quantity of CALYPRO 2.4D SL with a small volume of clean water and add to drench or fungicide bath.

Wax: Add required quantity of CALYPRO 2.4D SL to wax while agitating.

Application:

Apply in a drench, fungicide bath or wax.

APPLICATION TABLE:

CITRUS	DOSAGE	REMARKS
Drench and fungicide bath application.	1ℓ/100ℓ of water	Refer to MRL's for different markets.
Wax	2ℓ/200ℓ of wax	Wax must be agitated continuously.

NOTE: Do not exceed recommended dosages. Apply within 12 hours after picking for best results.